



bizhub color: the perfect choice for productivity.

TO COMMUNICATE AND COMPETE MORE EFFECTIVELY, PROFESSIONALS COUNT ON COLOR - AND WITH NEW DUAL SCAN CAPABILITIES AND FINISHING OPTIONS, THE BIZHUB C652 SERIES LETS YOU CHOOSE THE COLOR THAT FITS YOUR WORKFLOW. YOU'LL BE ABLE TO KEEP AHEAD OF RISING DOCUMENT TRAFFIC, SCAN INFORMATION FASTER, PRINT AND COPY IN HIGH-IMPACT COLOR OR COST-EFFECTIVE B&W, PRODUCE FINISHED COLOR BOOKLETS, REPORTS, PRESENTATIONS AND MAILINGS IN-HOUSE - ALL TO MAKE INFORMATION MORE ACCESSIBLE, MEMORABLE AND PERSUASIVE.

scalability - in output, scanning speeds, finishing capabilities, security options, even software.

color prints and copies at 50 ppm, with even faster 65 ppm B&W output. The bizhub C552DS and C552 provide color output of 45 ppm and B&W output of 55 ppm. And the bizhub C452 gives you

To bring information into your system even more incorporate Dual Scan technology that scans both sides of a page in a single pass – a revolutionary Konica Minolta advancement that lets you scan documents at up to 156 originals per minute.

Every bizhub C652 Series device incorporates green technologies to lower power consumption and save energy – which helped the bizhub C552 win BLI's Outstanding Achievement award for energy efficiency in 2009. And whisper-quiet operation in both print/copy and standby modes can make any business or educational environment calmer and more productive.

In all our manufacturing operations, we also reduce emissions, eliminate many hazardous substances and use recyclable materials wherever we can to reduce the environmental impact of each product throughout its entire life cycle.



The InfoLine® display shows operating status at a glance, even from across the room. And paper drawers slide smoothly with a light pull on the easy-grip handles.

All five models in

the bizhub C652

Series feature

dramatic dark

cabinetry with

hidden cords -

perfect for center-

office placement.

Compact design

places powerful

capabilities at the

quick access to

more power and

productivity. In compliance with

Section 508, the

bizhub C652

panel to

Series features a tilting control

accommodate

wheelchair-bound employees.

in-house color

hub of your business, for















Simitri® HD toner and high-speed image stabilization.

The bizhub C652 Series incorporates dramatic improvements in color reproduction. High-speed image stabilization maintains superior color consistency, with settings that optimize performance to achieve near 100% productivity.

Exclusive Konica Minolta Simitri® HD toner utilizes smaller, more uniform particles to create color images with superior detail, rich tonality and smooth color gradations. Print resolution of 1800 dpi equivalent x 600 dpi improves graphics, photos and illustrations. And Outline PDF smoothes edges for more legible text.

Low-temperature oil-less fusing saves energy while producing color documents that won't fade, crack or peel, so they're ideal for long-term archives. Konica Minolta's Auto-Refining Developing system also achieves greater color accuracy and maintains precise color uniformity during long-run printing - so you can relax while your bizhub gets the job done.

Simple operation, seamless networking.

A large 8.5" color touch-panel display makes even walk-up printing and copying more productive. Intuitive operation, simple menus and programmable shortcut keys put more power at your fingertips. Thumbnails let you preview documents before you print, avoiding mistakes that waste time and paper. Animated screens guide you and make menus more user-friendly. And blue LED function key lights are easier to see.

All five bizhub C652 Series models incorporate Konica Minolta's industry award-winning MyTab™ print convenience, allowing individuals to create a customized tab that saves their preferred print settings for quick access.

The built-in power of bizhub OP.

At the heart of every bizhub C652 Series device is bizhub OP (Open Platform) technology – driving the unique Konica Minolta approach to MFP productivity with the power to move information more freely, quickly and simply than ever before.

Exclusive bizhub Architecture consolidates major functions on uniform modules for fast internal processing with a consistent control interface that requires less operator training. The Emperon® Print System is built in, with PCL6/PS3 emulation and native XPS functionality to handle print files in any format. And Universal Printer Drivers simplify print management with a common user interface, standard commands, and auto detection and configuration of devices to simplify IT control in multi-printer networks.

With bizhub Extended Solution Technology (bEST), your bizhub can interface seamlessly with print management, variable printing, cost control and other specialized software – advantages that large and mid-size businesses demand to meet specialized needs like print management, variable printing, account tracking and cost control.









Print features for flexible input and output.

You can scan originals in sizes up to 11" x 17", handling two-page spreads in a single scan. Auto duplexing of up to 140 lb. index stock at rated engine speed lets you save paper while maintaining 100% productivity. Proof Copy allows you to check your output before making a full print/copy run, avoiding reprints that waste time and paper.

You'll have two choices in optional large capacity paper cassettes. The LU-301 accepts 3,000 sheets of letter-size paper and raises maximum paper capacity to 6,650 sheets, enough to work far longer without re-loading paper. The adjustable LU-204 loads up to 2,500 sheets of paper in 8-1/2" x 11", 8-1/2" x 14", 11" x 17", even 12" x 18" size — so you can print oversized graphics, 2-page spreads and color proofs that preserve crop marks and borders.

In copy mode, you can automatically apply a transparent watermark to copies – and easily copy two-sided business cards, drivers' licenses and insurance cards with the new Card Shot feature. When you copy documents with the cover open, Non-Image Erase automatically eliminates the black area surrounding your original.

For even greater flexibility, you can print wirelessly with the Bluetooth® option (EK-605) - and use a standard USB connector for saving files to and printing from a USB thumb-drive as well as importing and exporting files to/from User Boxes.

Finishing power for in-house productivity.

With a powerful array of finishing options, each bizhub C652 Series model can be customized to fit the document needs of any business, institutional or educational environment.

The bizhub C652DS, C652, C552DS and C552 accept a modular Staple Finisher (FS-526) with 100-sheet multi-position stapling and custom sorting and grouping. Using the FS-526, you can expand your finishing capabilities with a Saddle Stitcher Kit (SD-508) for creating booklets up to 80 pages in length, a Punch Kit (PK-516) for 2/3-hole punching at top or side, a Z-Fold Unit (ZU-606) for Z-Folding, and a Post-Inserter (PI-505) to add pre-printed covers or chapter dividers. There's even a Job Separator Tray (JS-602) option that adds a third tray to sort print, copy and fax output.

All five models in the bizhub C652 Series accept a compact Floor Finisher option (FS-527), with 50-sheet stapling. Using the FS-527, you can add a Hole-Punch Kit (PK-517) for 2/3-hole punching at side or top and a Saddle Stitcher Kit (SD-509) for booklets up to 60 pages (15 sheets). An optional Job Separator Tray (JS-603) acts as a third output tray to separate prints, copies and faxes. And with optional FS-527 Floor Finisher or optional OT-503 Output Tray installed, you can produce full-color banners up to 11-3/4" x 47-1/4".*



Reliability for workhorse performance.

To keep working, with maximum uptime - that's the goal of any business or institution. The bizhub C652 Series meets and exceeds this goal with

> internal components redesigned for longer life and trouble-free performance day after day, month after month.

Every bizhub model also provides economy and reliability that reduce your total cost of ownership. Separate black drum and developer unit yield lower cost per copy. You can replace these components individually to save even more.

And industry-leading transferred image quality produces full-color print/copy documents that look more like vour original or on-screen image - so first results match your needs and demands without tedious reprinting.

bizhub control: scanning, security and software.

WITH HIGH-SPEED SCANNING, YOU CAN COUNT ON EVERY BIZHUB C652 SERIES MFP TO STREAMLINE YOUR WORKFLOW. MOVE DOCUMENTS AND DATA IN ANY FORM. DISTRIBUTE TO MULTIPLE DESTINATIONS WITH FEWER KEYSTROKES. AND STORE AND SHARE INFORMATION MORE EASILY FROM A STANDARD 250 GB HARD DISK DRIVE. YOU CAN ALSO CUSTOMIZE YOUR SYSTEM WITH ADVANCED COLOR CONTROL, HIGH-SPEED FAX, UNIQUE i-OPTIONS, ENHANCED SECURITY PROTECTION AND SEAMLESS NETWORKING SOFTWARE – ALL THE POWER YOUR BUSINESS NEEDS.

PRINT Vindows Distributed Universal Printer Scan-to-Me Encrypted Network Password Printing Scan-to-Home Scan-to-Authorized Local Folder Reprint Jser Box SCAN COPY USB Dual Line **TWAIN** Single Line . SharePoint Server Internet Fax IP Address Fax Fax Forwarding (Full Color/B&W) (Full Color/B&W) FAX

Scan documents to multiple destinations.

In addition to the dramatic Dual Scan capabilities of the bizhub C652DS and C552DS, every model in the bizhub C652DS and C552DS, every model in the bizhub C652 Series provides fast, flexible scanning to multiple destinations: Scan to Email, FTP, SMB, and TWAIN scanning from PCs. Convenient Scan-to-Me and Scan-to-Home functions let you quickly bring information into your personal workflow. And bizhub Send function lets you perform scan functions simultaneously — for example, scanning and Emailing a file to a co-worker while faxing it to an outside supplier and saving it to your FTP site.

On a built-in 250 GB Hard Disk Drive, User Boxes provide dedicated storage for individuals, departments, workgroups, even projects. User Box Routing commands let you move, delete and combine document pages and change resolution and color output settings.

WebDAV (Web-based Distributed Authoring and Versioning) support helps you manage server files/folders, identify authors and dates, lock documents and track revisions. The C652 Series supports Windows Distributed Scan Management (DSM)*, an exciting new scan management and workflow technology developed by Microsoft for Windows 7 and Windows Server 2008 R2. IPv6 support gives every networked bizhub device its own IP address. And Gigabit Ethernet handles information more quickly to reduce traffic demands on your network.

Manage color with professional ease.

For graphics-intensive applications, each bizhub C652 Series model accepts an optional IC-412 Fiery® Image Controller with standard EFI Command Workstation functionality, advanced color matching, color calibration and print queue management, Fiery Remote Scan, and EFI WebTools. You'll be able to handle specific Pantone color requirements, manage print queues more effectively, and fine-tune color output for more professional results. Fiery VUE software gives creators an intuitive, icon-driven view of their documents — to orchestrate all elements into a professional high-impact result.

Powerful Fiery Graphic Arts Options include Auto Trapping, Hot Folder printing with embedded job ticket settings, job setup with finishing options and imposition attributes for drag-and-drop printing, Color Profiler Suite, Secure Erase, and Fiery Impose function for editing, assembling and previewing documents at pre-RIP level to save time.

*May not be available at time of launch

An optional Color Profiler suite allows you to create customized ICC profiles with CMYK devices. The EFI Spectrophotometer (ES-1000) option gives you a fast, hand-held color profiling tool that measures individual color patches, full patch strips or dayto-day variations in printer inks and toners - and the EFI Spectrophotometer can automatically compensate for color fluctuations.

Total security for the networked era.

Konica Minolta leads the industry in protecting sensitive information - conducting a far more extensive security evaluation than our competitors do. The bizhub C652DS and C552DS are in evaluation to meet the strict new requirements of ISO 15408 Common Criteria security classification - and the bizhub C652, C552 and C452 have already been certified.

Standard security protections include bizhub Secure Print password locks, customized User Authentication, Encrypted PDF workflow, IP Filtering to register IP addresses of PCs on your network, SSL/TLS Encryption to protect data during exchange with authentication servers, S/MIME Encryption to safeguard Email exchanges and disk drive security features like HDD Lock, HDD Job Erase, HDD Encryption, and HDD sanitizing to meet military and international standards.

You can add more options: a Copy Guard/Password Protect Kit (SC-507), the HID Proximity Card Authentication Unit (AU-201H), HID iClass Card Authentication Unit (AU-202H**), CAC/PIV (Common Access Card/Personal Identification Verification Card) Solution (AU-211P**), or Biometric Authentication Unit (AU-102) for secure access to bizhub MFP functions with quick "ID and Print" operation.







PageScope Enterprise Suite can give every bizhub C652 Series device a server-based authentication and accounting solution to track activities on a per-page basis, customize your display based on user log-in at any MFP on your network, and provide password-protected log-in with multiple authentication possibilities: Biometric, HID Proximity Cards, HID iClass Cards**, CAC/PIV Cards**, network user name and password. Authentication cards and the Biometric Authentication Unit can be used independently or with PageScope Enterprise Suite.

PageScope Web Connection and PageScope Net Care Device Manager enable individual users and IT administrators to manage multiple devices more easily. PageScope Print Status Notifier provides automatic alerts to speed your workflow. PageScope Data Administrator[™] handles addresses, passwords, and accounts - and PageScope Workware™ makes it easy to manage scanned documents, view thumbnail images, search files, link files and convert file formats. With the bizhub C652 Series, the possibilities keep growing – and your business will look better than ever.



More options for all-in-one productivity.

To manage all your document traffic from one convenient location, the bizhub C652 Series also features standard Color Internet faxing and lets you add an optional Super G3 Fax Kit with sophisticated transmission and reception features. PC and IP Address Faxing, even optional dual line to double your fax handling capacity.

Your workflow will benefit from the optional features available with three unique Konica Minolta i-Option™ Kits. The LK-101 v.2 i-Option Kit combines an AJAX-capable web browser, the convenience of Scan-to-SharePoint® function, and a unique Image Panel interface that makes it easier to handle information stored in User Boxes. The LK-102 i-Option Kit provides AES 128-bit PDF encryption to meet government standards. And the LK-105 i-Option Kit lets you create searchable PDF files to locate specific text references.



COUNT ON KONICA MINOLTA

Konica Minolta Business Solutions U.S.A., Inc., is a fast-growing leader in advanced digital imaging systems. From desktop to print shop, Konica Minolta supplies leadership products that business professionals count on to fulfill increasing demands for high-speed, low-cost color and B&W document output. With over 37,000 worldwide employees, cutting-edge research programs in optical and digital technology, and the industry's most complete line of document imaging solutions, Konica Minolta was recognized by Brand Keys for the second consecutive year as the #1 Brand for Customer Loyalty in the MFP Office Copier Market. As long as you count on Konica Minolta, you've made the right decision.

For more information, please visit: www.CountOnKonicaMinoIta.com



| General Specifications: | bizhub C652DS/C652 | bizhub C552DS/C552 | bizhub C452 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | Full Color Printer/Conjer/Conner with Ctationer, Dieton | | |
| TYPE: PRINT/COPY PROCESS; TONER TYPE: | Full-Color Printer/Copier/Scanner with Stationary Platen Tandem Process; Simitri® HD Toner | | |
| MONTHLY DUTY CYCLE: | 250,000 pages | 200,000 pages | 150,000 pages |
| PRINT/COPY SPEED: | Full Color: 50 ppm, B&W: 65 ppm (letter, portrait) | Full Color: 45 ppm, B&W: 55 ppm (letter, portrait) | Full Color: 45 ppm, B&W: 45 ppm (letter, portrait) |
| PRINT/COPY RESOLUTION: | со гр., со гр. (сто, разман) | 1800 dpi equivalent x 600 dpi | , and a second s |
| SCAN SPEED (letter): | Full Color: 156 opm @ 300 dpi (DS) /78 opm @ 300 dpi, 110 opm @ 600 dpi (DS) /55 ppm @ 600 dpi (DS) /55 ppm @ 600 dpi (DS) /55 opm @ 300 dpi, 55 ppm @ 600 dpi (DS) /65 ppm @ 600 dpi | | |
| | | | |
| SCAN RESOLUTION: | 200 dpi, 300 dpi, 400 dpi, 600 dpi TIFF, PDF, Compact PDF, JPEG, XPS, Compact XPS | | |
| SCAN FILE FORMATS: MEMORY/HARD DISK DRIVE: | 2 GB (shared print, copy, scan and fax memory)/250 GB HDD (shared print, copy, scan and fax) | | |
| GRADATION: | 256 color shades per pixel | | |
| ORIGINAL SIZE: | Up to 11" x 17" (scanning/copying), Up to 11" x 17" full bleed on 12" x 18" paper (printing) | | |
| COPY SIZE: | Tray 1 & 2 (universal cassette): 5.5" x 8.5" to 12" x 18", Tray 3 & 4 (fixed cassette): 8.5" x 11", 5.5" x 8.5", 4" x 6", Bypass Tray: 4" x 6" to 12" x 18", 8" x 13" | | |
| WARM UP TIME: FIRST COPY TIME (letter): | 30 seconds or less Full Color: 5.5 seconds or less, B&W: 3.8 seconds or less Full Color: 6.0 seconds or less Full Color: 6.0 seconds or less | | |
| COPY QUANTITY: | Tuli Cului. 3.3 securius di less, pawi. 3.5 securius di less, pawi. 4.5 securius di less, pawi. 4.5 securius di less. | | |
| MAGNIFICATION: | Zoom range: 25% - 400%, 0.1% increments, Preset reduction: 79%, 73%, 65%, 50%, Preset enlargement: 121%, 129%, 155%, 200% | | |
| COLOR MODES: | Auto Color, Full Color, Black & White, 2-Color, Single Color | | |
| COPY EXPOSURE MODES: | Text (legible text), Text/Photo (clear text and halftones), Photo (optimized for gradations), Map (fine edges and legible text), Dot Matrix (dot matrix or pencil originals), Copied Paper | | |
| FAXING (optional): | Super G3 compatibility, MH, MR, MMR, JBIG data compression, 33.6 Kbps modem speed, F-Code support Less than 3 seconds/page (JBIG, standard resolution)/2 GB (shared print, copy, scan, fax memory) | | |
| FAX TRANSMISSION SPEED/FAX MEMORY: FAX EXPOSURE MODES: | Text, Text/Photo, Photo, Dot Matrix | | |
| STANDARD PAPER CAPACITY: | 500-sheet universal cassette (17 lb. bond to 140 lb. index), 500-sheet universal cassette (17 lb. bond to 140 lb. index), 500-sheet universal cassette (17 lb. bond to 140 lb. index), | | |
| | 1,000-sheet cassette (17 lb. bond to 140 lb. index), 150-sheet bypass (17 lb. bond to 100 lb. cover or up to 300 gsm) | | |
| MAXIMUM PAPER CAPACITY: | | 6,650 sheets (total, with options) | |
| DUAL SCANNER DOCUMENT FEEDER (standard C652DS/C552DS): | | Capacity: 100 Sheets, Paper Size: 5.5" x 8.5" to 11" x 17" | |
| REVERSING AUTOMATIC DOCUMENT | | bond, Double Sided or mixed: 13.25 lb. bond to 34 lb. bond | 5" v 8 5" to 11" v 17" |
| FEEDER (standard C652/C552/C452): | Speed: Full Color: 78 opm, B&W: 78 opm, Paper Capacity: 100 Sheets, Paper Size: 5.5" x 8.5" to 11" x 17" Paper Weight: Single-sided: 9.25 lb. bond to 55.75 lb. bond, Double Sided or mixed: 13.25 lb. bond to 34 lb. bond | | |
| POWER REQUIREMENTS/CONSUMPTION: | 120V, 60Hz/Less than 2,100W 120V, 60Hz/Less than 2,000W | | |
| DIMENSIONS (W x D x H)/WEIGHT: | 25.5" x 36"(30.5" without control panel) x 42.25"(includes RADF)/491.63 lb. (DS), 487.81 lb. | | |
| OPTIONS: | EK-604 USB Interface for External Keyboard, EK-605 USB Interface for External Keyboard and Bluetooth Support, External Keyboard, FK-502 Fax Board, FS-526 100-Sheet Staple Finisher*, FS-527 Floor Finisher, IC-412 Image Controller (EFI Fiery Controller), JS-504 Job Separator Tray (C452), JS-602 Job Separator Tray (FS-526)*, JS-603 Job Separator Tray (FS-526)*, JS-603 Job Separator Tray (FS-526)*, JS-603 Job Separator Tray (FS-526)*, JS-602 Job Separator Tray (FS-526)*, JS-603 Job Separator Tray (FS-527), KH-101 Keyboard Holder, LK-101 v2 i-Option, LK-102 i-Option, LK-105 i-Option, LU-204 Large Capacity Unit, LU-301 Large Capacity Unit, MK-720 Fax Connection Kit, OT-503 Output Tray (Exit Tray), PI-505 Post Inserter (FS-526)*, PK-516 Punch Kit (FS-526)*, PK-517 Punch Kit (FS-527), SA-502 Scan Accelerator Kit, SC-507 Copy Guard Kit, | | |
| | | | |
| | | | |
| | | | |
| | SD-508 Saddle Stitcher Kit (FS-526)*, SD-509 Saddle | e Stitcher Kit (FS-526)*, SD-509 Saddle Stitcher Kit, Spare TX Marker Stamp 2, SP-501 Fax Stamp Unit, UK-203 i-Option Memory Upgrade Kit, WT-506 Working Table, | |
| AVAILABLE PRINT/COPY FUNCTIONS: | VI-505 Video Interface Kit for IC-412, ZU-606 Z-Fold Unit (FS-526)* Account Track (1,000 accounts), Administration Mode, Auto Duplex, Auto Trapping, Auto Tray Switching, Bi-Directional Communication, Black Over Print, Card Shot, Color Modes & Functions | | |
| AVAILABLE PRINT/COPT FUNCTIONS: | | e, 2-Color Mode, Color Adjustments, Copy Guard, Copy Modes (Simp | |
| Cover Mode, Creative Functions (Mirror Image, XV Zoom, Image Center, Base Color, Neg./Pos. Reverse, Image Repeat), Encrypted Network Password Printing, Energy Save Mode | | | |
| | Erase (Border, Frame, Edge) Mode, Finishing (Group, Sort, Staple, Punch, Half-Fold, Center Staple and Fold), Form Överlay, Glossy Mode, HDD Encryption, HDD Job Overwrit | | |
| | HDD Sanitizing, Image Adjustments (Color Matching, Pure Black Auto ON/OFF, Color Balance, Screen Settings, Image Smoothing ON/OFF), Image Preview (Job Finishing Image Display, | | |
| | Engine Configuration Display), Interrupt, Job List, Job Reserve, Job Skip, LDAP, Mixplex, Mix-Media, MyTab, Non-Image Area Erase, OHP Interleaving, Password Copy, Program/Recall Jobs, Paper Type Selection (Normal, Thick 1/1+, Thick 2, Thick 3, Thick 4), Print Modes (Simplex/Duplex, 2-in-1, 4-in-1, 9-in-1, 16-in-1, Booklet, Booklet + Bind), Print from USB, Proof Copy, Secure Printing, | | |
| | Separate Scan, Text Enhancement, Tri-Fold (FS-526)*, User Authentication (Up to 20 Authentication Servers) (Synchronize w/Account Track), User Box Function, Utility (Meter Count, Environment Setting, | | |
| | | Setting, One-Touch Setting, Check Consumables Life), Watermark, Zo | |
| AVAILABLE SCAN FUNCTIONS: | | , Scan-to-Me/Scan-to-Home, Scan-to-SharePoint, Scan-to-SMB (S | |
| NAME AND STAY SUBJECTIONS | Windows Distributed Scan Management**, WS-Scan, Color Internet Fax Autodialing (2,000 one-touches), Auto Memory Reception, Auto Reduction Printing, Broadcasting (maximum 605 locations), Bulletin Board, Duplex Transmission/Reception, Exposure Mode, | | |
| AVAILABLE FAX FUNCTIONS: | Autodialing (2,000 one-touches), Auto Memory Reception, Auto Reduction Printing, Broadcasting (maximum 605 locations), Bulletin Board, Duplex Transmission/Reception, Exposure Mode, Group Dialing (up to 500 one-touches per group), Image Rotation Transmission/Reception, Mailbox Transmission/Reception, Memory/Quick Dial, Overseas Transmission, | | |
| | | | otion, Program Dialing (400 programs), Redial, Relay Broadcasting, |
| | | Relay Transmission, Remote Reception, Timer Transmission, TSI Ro | |
| APPLICATIONS: | | ninistrator, Driver Packaging Utility, HDD Back-Up Utility, Download | |
| MANIA OF MENT TOOL O | User Iools: PageScope Web Connection, PageScope Direct | Print, PageScope Box Operator, PageScope Print Status Notifier, F | ont Management Utility, Copy Protect Utility, Print Utility for Unix |
| MANAGEMENT TOOLS: OPTIONAL SOFTWARE: | PageScope Workware. PageScope Enterprise Suite: PageScope | bizhub vCare support Account Manager, PageScope Authentication Manager, PageScope | My Panel Manager PageScope Net Care Device Manager (standard) |
| | - agossopo manara, i agossopo minorprico carar i agossopo | r toodii marago, r agoooopo raatoriadadii marago, r agoooopo | my ratio manager, ragescope net care period manager (carried by |
| Emperon Print System (standard): | | | |
| PROCESSOR; MEMORY/HARD DISK DRIVE: | | Hz (MC 7448); 2 GB (shared copier memory)/250 GB (shared copier (shared copier)) | |
| PAGE DESCRIPTION LANGUAGE; FONTS: PRINT DRIVERS: | PCL5e/c, PCL6 (XL v.3.0) Emulation, PS3 (v.3016) Emulation, XPS v.2.1.4.0 (XML Paper Specification); PCL: 80 fonts, PostScript 3 Emulation: 137 fonts PCL6: Windows 2000 Professional, Windows NT 4.0, Windows XP Home/Professional (x32, x64), Windows Vista (x32, x64), Windows 7 (x32, x64), Windows Server 2003 (x32, x64), | | |
| FININI DRIVERS. | Windows Server 2008 (x32, x64) PS3: Windows 2000 Professional, Windows XP Home/Professional (x32, x64), Windows Vista (x32, x64), Windows 7 (x32, x64), Windows Server 2003 (x32, x64) Windows Server 2008 (x32, x64) Universal PS3 and PCL: Windows 2000, Windows XP, Windows Vista, Windows 7***(x32, x64), Windows Server 2003, Windows Server 2008 (x32, x64) | | |
| | | | |
| | XPS: Windows Vista (x32, x64), Windows 7 (x32, x64), Windows Server 2008 (x32, x64) Mac: OS 9.2 (PPD file), OS X 10.2, 10.3, 10.4; Intel-based: 10.4 (print driver), 10.5, 10.6† | | |
| INTERFACE: | TOD/ID IDV/CDV AppleTally (EtherTally LDD CMD LDD | 10 Base-T/100 Base-TX/1000 Base-T, USB 1.1, USB 2.0 | O LOAD CCL/TLC CNIMD HTTD/HTTDC ID. C DDIMC (MICD) |
| PROTOCOLS: | TCP/IP, IPX/SPX, AppleTalk (EtherTalk), LPR, SMB, LPD, Netware (4.x, 5, 6), Pserver, Nprinter, NDPS, IPP 1.1, SMTP, POP3, LDAP, SSL/TLS, SNMP, HTTP/HTTPS, IPv6, DPWS (WSD) | | |
| Fiery IC-412 Embedded Image Controller (optional): | | | |
| PROCESSOR; MEMORY/HARD DISK DRIVE: | | el Celeron 1.86 GHz FSB 533 MHz; 512 MB (standard/max)/80 G | |
| PAGE DESCRIPTION LANGUAGE; FONTS: | | 6, Adobe PostScript 3 (version 3017); PCL: 80 fonts, Adobe PS3: 1 | |
| PRINT DRIVERS: | PULB, PS3: WINDOWS 2000, WINDOWS XP (x32, x64), WIT | ndows Vista (x32, 64), Windows 7 (x32, x64) (PS3 only), Windows | Server 2003, Windows Server 2008 (x32, x64) (utilities only) |

PRINT DRIVERS:

INTERFACE: PROTOCOLS: STANDARD SOFTWARE: OPTIONAL SOFTWARE:

PCL6, PS3: Windows 2000, Windows XP (x32, x64), Windows Vista (x32, 64), Windows 7 (x32, x64) (PS3 only), Windows Server 2003, Windows Server 2008 (x32, x64) (utilities only)

Mac: OS 9.2 (PPD file), OS X 10.2, 10.3, 10.4; Intel-based: 10.4 (print driver), 10.5, 10.6

10 Base-T/100 Base-TX/1000 Base-T, RJ45

TCP/IP, IPX/SPX, AppleTalk (EtherTalk), LPR, SMB, NDPS Gateway on Netware 5.0 or later, IPP, LDAP, SSL/TLS, SNMP, HTTP/HTTPS, IPv6

EFI Command Workstation, ColorWise ProTools, EFI Spot-On, EFI WebTools, Fiery Remote Scan, Fiery VUE

EFI Hot Folders/Virtual Printers, Auto Trapping, Color Profiler Suite, EFI Impose, Secure Erase, ES-1000 Spectrophotometer

*Not compatible with C452. **Not available at time of launch. ***Windows 7 Support anticipated availability Spring 2010.

*Mac 10.6 Beta Drivers available. Mac 10.6 official drivers anticipated availability Summer 2010.

Konica Minolta Optimized Print Services offers a full suite of device output and services and workflow solutions that increase efficency and control costs. Please contact your authorized Konica Minolta sales representative for details.

KONICA MINOLTA KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC.

100 Williams Drive Ramsey, NJ 07446















© 2010 KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Konica Minolta and The essentials of imaging are trademarks of KONICA MINOLTA HOLDINGS, INC. bizhub, Emperon, and PageScope are trademarks of KONICA MINOLTA BUSINESS TECHNOLOGIES, INC. Simitri is a registered trademark of KONICA MINOLTA BUSINESS TECHNOLOGIES, INC. Simitri is a registered trademark of EH. Bluetooth Sig. A Bluetooth Sig. A. Babyy and FineReader are registered trademarks of Business are registered trademarks of their respective owners. Design & specifications are subject to change without notice. Some functions may require options, which may or may not be available at time of launch.











