

STUDIO2518A STUDIO3018A STUDIO3518A STUDIO4518A

- > Black & White Multifunction Printer
- > 25, 30, 35 or 45 pages per minute
- > Medium to Large Workgroup
- > Copy, Print, Scan, Fax
- > Advanced Security
- > Customizable Touch Screen with Apps



TOSHIBA

1780

102

et P



CONNECT. INTEGRATE. SIMPLIFY.

Technology for every office, delivering advanced functionality, ease of use and peace of mind.

Every industry has unique workflow needs. Toshiba has developed customizable MFPs to make your job easier. Intuitive and smartly integrated, these products simplify complex tasks and give you control while providing the reliability Toshiba is known for.

Toshiba's latest series delivers on their promise of Together Information – commitment to collaborate with clients in order to provide tailored, cost-effective solutions that meet your print, document management and content needs while helping you meet your green objectives.

- 25, 30, 35 or 45 pages per minute
- High-resolution true 5-bit colour
- High-volume black & white
- Advanced e-BRIDGE Next technology
- Fast dual-core processor

Delivers more with less effort.

The Toshiba e-Studio 4518a series is designed to put a fast, efficient, secure MFP in the hands of workgroups looking to improve productivity.

- Impressive resolution providing 2,400 dpi (equivalent) x 600 dpi with smoothing
- An available time-saving, high-speed, 300-sheet Dual-Scan Document Feeder
- A high toner yield of 43,900 minimizes end-user intervention and enables long uninterrupted runs



Elevate streamlines multi-step processes into automated one-touch functions.

Be more productive by personalizing your Toshiba MFP interface around jobs and procedures you frequently do.

Elevate enables customers to conveniently turn multi-step jobs into a customized and efficient one-touch procedure. Save time, frustration and cost. Elevate your productivity.

- Customize and automate workflow
- Boost productivity. Reduce manual office processes
- Personalize the User Interface for better efficiency
- Save costs through improved workflow and productivity
- Create a clean Home Screen with often-used tasks





Simple, smart and stylish. A new 10.1" tablet-style touch screen with an embedded web browser is easy to use and customizable to meet your needs. And, it is part of the bold new look being introduced across the e-STUDIO series.



A COMPACT DESIGN THAT LEAVES NOTHING OUT

The typical office needs to get a lot more done, often using fewer resources and minimal space. You will appreciate Toshiba's e-Studio series which come come with plently of functions, lots of capacity... all in a small footprint.

Fast Dual-Scan Document Feeder handles an amazing 300 originals and seamlessly scans both sides of each page in a single pass to produce a full 240 images per minute (IPM).

Fast First Copy Out Times clocks in at 3.6 seconds for 35 / 45 ppm models, and 4.3 seconds for the 25 / 30 ppm models.

10.1" **Tablet-Style Touch Screen** works intuitively, helping you access instructions, functions, and commands with the swipe of the finger.

Auto Skew Correction ensures your documents scanned through a document feeder are reproduced accurately.

Scan Preview lets you review, change and rotate documents before sending to file, email or USB. Preview received faxes before printing.

Embedded Optical Character Recognicion (OCR) simplifies the creation of searchable PDFs or editable document formats.

Print Around eliminates printing bottlenecks by allowing other print jobs to go around one job that's held-up due to requiring a specific paper size or typer.

Limitless Job Reservation will queue up multiple copy or print jobs so users can send jobs whenever.

Saddle/Fold Capabilities offer saddle-stitch finishing and the ability to fold without stapling.



Scan-to and Print-from USB lets you print straight from your USB drive or scan documents to it.

Advanced e-BRIDGE Next Technology enables the MFP to drive Toshiba's internally developed embedded solutions or those from a third party with ease.

Notifications Feature takes the hassle out of checking for depleted supplies or maintenance needs.

Paper Volume Indicators on the front panel make it easy to see the paper sizes, types and levels in each cassette.

Help Button provides instant, thorough explanations straight from the manual to help as needed.











TOSHIBA TECHNOLOGY AT WORK FOR YOU AND OUR PLANET

Toshiba works hard to make that makes your tasks easier and your time more productive. You'll love the impressive standard features, such as PCL6, PostScript 3, XPS and Universal Print Drivers that offer connectivity to Windows, Macintosh and more. Add to that a growing list of driver plug-ins that include Job Point that splits large jobs over multiple machines, Job Replicator for multi-part form replacement, Job Separator for batch printing with any app, and Job Build to print different documents together as a single job.

Advanced Security

Toshiba is constantly researching new ways to keep your documents safer and more secure, including:

- A 320GB Self-Encrypting Drive (SED) with Automatic Drive Invalidation (ADI) and Data Overwrite capability
- FIPS 140-2 Validated SED exceeds government requirements
- IPsec is available to encrypt data sent to and from the MFP

Toshiba's new e-BRIDGE Plus apps, including e-BRIDGE Plus for: OneDrive for Business; SharePoint Online; Exchange Online allows you to scan and print with Microsoft's cloud-based services directly on the touch screen of the MFP or your device. Compatible formats include Word, Excel, and PowerPoint. When combined with the embedded OCR feature, documents can be scanned into many Office formats, as well.

With Google Coud Print support, you can securely print over the web from anywhere at any time. Embedded cloud-based mobility apps include e-BRIDGE Plus for: Google Drive; OneDrive; DropBox and box.

Taking Environmental Reponsibility Seriously

True innovation ensures that protecting our planet is part of the picture. Toshiba is always looking for ways to be even more environmentally responsible.

- RoHS compliance, the use of recycled plastics, and Low-Power (0.6W) Super Sleep Mode work to help the environment
- EPEAT Gold Registered for greener electronics designed to help purchasers choose products that reduce environmental impact
- Energy Star V2.0 certified
- The TEC (Typical Energy Consumption) is exceptionally low. That means you're not only helping the environment, but also your bottom line.
- e-BRIDGE Plus for Green Information provides users with a graphical display at the MFP of their environmental contribution to help promote more effective use.



GO CONFIGURE, WITH FEATURES & BENEFITS

1 Document Feeder Options

MR4000Dual-Scan Document Feeder (DSDF)MR3031Reversing Automatic Document Feeder (RADF)KA5005PCPlaten Cover

2 Accessory Tray & Keyboard Options

GR1330 Accessory Tray GR9000 Bluetooth Keyboard GR1340 10-Key Numeric Keypad

3 Finishing Options

MJ1042	50-Sheet Inner Finisher
MJ1109	50-Sheet Console Finisher
MJ1110	50-Sheet Saddle-Stitch Finisher
MJ5015	Job Separator

4 Additional Paper Options

eed Pedestal
Sheet Large Capacity Feeder
nal Drawer Module for PFP
e Cassette

Additional Option Highlights

- Embedded OCR Enabler
- Multi-Station Print Enabler
- Wireless LAN/Bluetooth
- IPsec Security Enabler
- Single or Dual-Line Facsimile
- Hidden Card Reader Pocket
- Expansive Third-Party Solutions List

1202

T.TEL

The Toshiba e-STUDIO 2518A / 3018A / 3518A / 4518A comes with all of the features you would expect from the highest-quality Multi-Function Printer, and a growing number of new functions and features that you're sure to find helpful and even fun!

Double the Scan Speed

A 300-sheet high-speed, high-capacity Dual-Scan Document Feeder (DSDF) produces up to 120 IPM simplex and 240 IPM duplex. A conventional RADF is available for less scan-intensive businesses.

Envelopes or Extra Paper—you choose

1200 paper sheets is standard, but if you need more, add one to two more drawers, and/or 60-envelope cassettes; or a 2000 sheet tandem LCF for a total of 3200 sheets.

Volumes and Toner Yeilds

A high monthly copy volume capability of up to 150,000 with an equally impressive toner yield of 43,900 at 5% toner coverage.

Multi-Station Print Enabler

Toshiba's internally developed Multi-Station Print Enabler allows users to send print jobs from their desktop and retrieve them at any convenient MFP by simply swiping their badge and authenticating at that device.

Advanced e-BRIDGE Next Technology

Built on Linux[®], this latest generation e-BRIDGE Next architecture features an Embedded Web Browser, a fast dualcore processor, 4GB RAM and a 320GB FIPS 140-2 Validated SED enabling the MFP to easily drive Toshiba's internally developed solutions or even third-party applications.

Intuitive User Controls

A larger 10.1" tiltable touch/swipe control panel with a tablet-like interface let's you find what you need with a swipe of your finger.

TOSHIBA C: STUDIO 2518A/3018A/3518A/4518A



Main Specifications

Copy System	Indirect Electrostatic Photographic Method/OPC/Laser Printing/ Heat Roller Fusing
Display Copy Speed	10.1" Colour WVGA Touch Screen Tilting Display 25 / 30 / 35 / 45 PPM (LT)
First Copy Out	Colour: 4.3 / 4.3 / 3.6 / 3.6
Warm-Up Time	Approximately 20 Seconds
Copy Resolution	2400 x 600 dpi with smoothing
Stack Feed Bypass	3.9" x 5.8" to 11 x 17", Envelope
Multiple Copying Paper Capacity	Up to 999 Copies Standard 1,200 Sheets/Max. 3,200 Sheets
Original Feed	Optional 300-Sheet DSDF or 100-Sheet RADF
Scan Speed & Weights	DSDF Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Colour), Simplex: 9.3-110 lb Bond, Duplex: 9.3-110 lb Bond
	RADF Scan: Up to 73 IPM (Monochrome or Colour), Simplex: 9.3-41.8 lb Bond, Duplex: 13.3-41.8 lb Bond
Max. Original Size	Ledger (11x17")
Paper Feed Sizes	Drawer 1: 550 Sheets-ST-R to Ledger Drawer 2: 550 Sheets-ST-R to Ledger
	Stack Feed Bypass: 100 Sheets-3.9x5.8" to 12x18", 12x47" Banners
	Opt. 550-Sheet Paper Feed Pedestal-ST-R to 12x18"
	Opt. 550-Sheet Drawer for PFP-ST-R to 12x18"
	Opt. Envelope Cassette for PFP-App. 60 Envelopes/550 Sheets-ST-R to LG
	Opt. 2,000-Sheet Tandem LCF (Pedestal Type)-LT Only
Paper Weights	Standard: 550 Sheets x 2-16 lb Bond-140 lb Index
	Stack Feed Bypass: 100 Sheets-14 lb Bond-140 lb Index Opt. 550-Sheet Paper Feed Pedestal-16 lb Bond-140 lb Index
	Opt. 550 Sheets Drawer for PFP-16 lb Bond-140 lb Index
	Opt. Envelope Cassette for PFP-16 lb Bond-140 lb Index
	Opt. 2,000-Sheet Tandem LCF (Pedestal Type)-17 lb-28 lb Bond
Duplex	Standard Automatic Duplex Unit (16 lb Bond-140 lb Index)
Reproduction Ratio	25% to 400%
Max Duty Cycle	Max. 100K / 120K / 125K / 150K
Weight	Approximately 125.2 lb for eStudio 2518A / 3018A
A	Approximately 125.2 lb for eStudio 3518A / 4518A
Approx. Dimensions Toner Yield	23" (W) × 23" (D) × 31" (H) 43,900 @ 5%
Power Source	120 Volts, 50/60 Hz, 12 Amps
Power Consumption	Maximum 1.5kW (120V)
CPU	Intel Atom [™] 1.33 GHz (Dual-Core)
Memory	4GB
Hard Disk Drive	320GB Self-Encrypting Drive FIPS 140-2 Validated (Opt)

e-BRIDGE Next Print Specifications

	· · · · · · · · · · · · · · · · · · ·
Print Driver Languages Print Speed	PCL5e, PCL5c, PCL6 (PCL XL), PS3, PDF, XPS, JPEG 25 / 30 / 35 / 45 Pages Per Minute (LT)
Print Resolution	600 x 600 dpi (1 bit); 2,400 x 600 dpi with smoothing; 1200 x 1200 dpi (2 bit) or 3,600 x 1,200 dpi (with Smoothing) using PostScript 3
Operating Systems	Windows [®] Vista, Windows Server [®] 2008/R2, Windows [®] 7, 8, 8.1, 10, Windows Server [®] 2012/R2, Macintosh [®] (Mac OS X 10.7.4, 10.8, 10.9,
	10.10, 10,11, 10.12, 10.13), Linux®, Unix®
Network Protocols	TCP/IP (IPv4, IPv6), NetBIOS over TCP/IP, IPX/SPX®for Novell®
	Environments, EtherTalk® for Macintosh Environments
Printing Protocols	SMB, LPR/LPD, IPP (Ver.2.0) w/Authentication, AppleTalk PAP, EtherTalkTM, Port 9100 (bi-directional), NetWare P-SERVER LPD w/ iPrint, WS Print, FTP
Print Drivers	Windows Server® 2008 SP2 (32-bit, 64-bit), Windows®Server 2008 R2 SP1
	(64-bit), Windows®7 SP1 (32&64-bit), Windows® 8.1 (32-bit, 64-bit), Windows
	Server [®] 2012/R2 (64-bit), Windows Server [®] 2016, Windows [®] 10 (32-bit, 64-bit) Mac OS X 10.7.4, 10.8, 10.9, 10.10, 10.11, 10.12, 10.13
Interface	RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (High-speed) Optional
	802.11b/g/n, Wireless LAN, Optional Bluetooth
Wireless Device	AirPrint®, Mopria®, Toshiba e-Bridge Print & Capture App on IOS and
	Andoid (Available via Apple App Store or Google Play)
Device Management	TopAccess, EFMS 6.30 (e-BRIDGE Fleet Management Software)
Account Control	Up to 10,000 users or 1,000 Departments Supports User Authentication
	(on Device), Login Name/Password (via Windows domain) or Login Name/
	Password (via LDAP Server) for Copy, Print, Scan, Fax, List, and User Function
Accessibility Features	Tilt Front Panel, Job Programs, Universal Grip for Paper Trays, Disable
,	Screen Timeout and Audible Beep Message Alerts



Security Features	User/Card/NFC Authentication, On-Board Data Scramble, SCEP, Disable e-File, Disable Copy, Disk Overwrite, IP Address Filtering (10 Sets), MAC Address Filtering (10 Sets), Network Service Control, Network Port & Role- Base Access Control, SMB Packet Sign, SSL/TLS (HTTP, IPP, LDAP, SMTP, POP, FTP, DPWS, SYSLOG) IPsec (IKEv1, IKEv2, Secure Mode Change, CC Cert (ISO/IEC15408)* IEEE802.1X (Wired/Wireless), Digital Signature for Client Utilities, Password Policy/Lock/Expiration, Self Test, Job Access Control, Access Control for Job Log, PDF, Security Stamp, Digital Sig for Firmware Update. Integrity Check, Image Log
Environmental Stds. Certification	"Conformance with HCD-PPV1 on High Security Mode. Energy Star (V2.0), EPEAT Gold, Calif. Proposition 65, Canadian ECP, RoHS WHQL [®] (Windows [®] 7, 8, 8.1, 10, 2008 R2, 2012, 2012 R2), Novell, Citrix, SAP, AirPrint, Mopria

Scan Specifications

DSDF Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Colour)
RADF Scan: Up to 73 IPM (Monochrome or Colour)
Standard: Full Colour, Auto Colour, Monochrome, Grayscale
600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi
Monochrome: TIFF-Multi/Single Page, PDF-Multi/Single Page, Searchable
PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.)
Colour/Grayscale: JPEG, Slim PDF
Color/Grayscale: JPEG (High, Middle, Low)

Facsimile Specifications

Compatibility	Super G3
Data Compression	MH/MR/MMR/JBIG
Transmission Speed	Approx. 3 Seconds Per Page
Fax Modem Speed	Up to 33.6 Kbps
Memory Transmission	100 Jobs (with HDD), 2,000 Destinations Max. 400 Destinations/Job
Scan Speed	0.7 Seconds Per Page, Maximum 73 IPM

e-Filing Specifications

Operation Method	Colour Touch Screen Control Panel or Client PC
Number of Boxes	1 Public Box, 200 Private User Boxes
Capacity of Boxes	100 Folders Per Box, 400 Documents Per Folder/Box,
	200 Pages Per Document

Accessories (Options)

Accessory Tray

Panel 10-Key Option Card Reader Holder

Meta Scan Enabler

Platen & Document Feeder Options				
DSDF	MR4000	IPsec Enabler	GP1080	
RADF	MR3031	Unicode Font Enabler	GS1007	
Platen Cover	KA5005PC	Monotype Font Option	GB2050	
Additional Paper Options		FIPS HDD Option USB Hub	GE1230 GR1310	
Paper Feed Pedestal	KD1058	Embedded OCR Enabler		
Drawer Module	MY1048	Per Seat License	GS1080	
Envelope Cassette Option	MY1049	Multi-Station Print Enabler	001000	
Large Capacity Feeder	KD1059LT	Per Seat License	GS1090	
Finishing Options		SharePoint Connector	GB1440	
Inner Finisher	MJ1042	Exchange Connector	GB1450	
50-Sheet Staple Finisher	MJ1109	Google Docs Connector	GB1540	
Saddle-Stitch Finisher	MJ1110	Missellanseus Ontions		
Hole Punch Unit for MJ1042	MJ6011	Miscellaneous Options Stand	STAND5005	
Hole Punch Unit for MJ1109/MJ111	0 MJ6105	Accessible Arm	KK2550	
Bridge Kit	KN5005	Work Tray	KK2005	
Job Separator	MJ5015	Harness Kit for Coin Controller	GQ1280	
		Manual Pocket	KK5008	
Connectivity/Security Options		Manual FOCKEL	NN3000	
FAX Unit/2nd Line for FAX Unit	GD1370N			
Wireless LAN/Bluetooth	GN4020			
Bluetooth Keyboard	GR9000			

GR1330

GR1340 GR1320

GS1010

Designs and specifications subject to change without notice. For best results and reliable performance, always use supplies manufactured or designated by Toshiba. Not all options and accessories may be available at the time of product launch. Please contact Steelhead for availability. Toner yields are estimates based on 5% coverage using letter-size paper. Driver and connectivity features and support may vary based on the clients network operating system. Product names may be trademarks of their respective companies. This is a Class 1 laser product complying with IEC60825-1.

TOSHIBA e-Studio 2518A / 3018A / 3518A / 4518A from Steelhead Business Products

Steelhead Business Products Ltd address: 5589 Regent Street Burnaby, BC V5B 4R6 sales: 604.473.9100 service: 604.473.9655 fax 604.473.9699 web site: www.steelhead.net